



DTIC





SYSTEMS ENGINEERING RESEARCH REPORT 81-1

ON SENSITIVITY ANALYSIS IN SYSTEMS FOR PLANNING AND DECISION SUPPORT


Andrew P. Sage

# Supported by:

Engineering Psychology Programs
Office of Naval Research
ONR Contract Number NG014-80-C-0542
Work Unit Number NR-197-065

Approved for Public Release
Distribution Unlimited
Reproduction in Whole or in Part is
Permitted for Any Use of the U.S. Government

February 1981





# SCHOOL OF ENGINEERING AND APPLIED SCIENCE

DEPARTMENT OF ENGINEERING SCIENCE AND SYSTEMS

UNIVERSITY OF VIRGINIA
CHARLOTTESVILLE, VIRGINIA 22901

8 1 3 26 037

SECURITY CLASSIFICATION OF THIS PAGE (When Dete Ente REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM SE-81-1 AD -1097 40 TYPE OF REPORT & PERIOD COVERED N SENSITIVITY ANALYSIS IN SYSTEMS FOR PLANNING Research Repert. AND DECISION SUPPORT. PERFORMING ORG. REPORT NUMBER 8. CONTRACT OR GRANT NUMBER(+) Andrew P./Sage 10 N0014-80-C-0542 PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Engineering Science and Systems University of Virginia NR-197-065 Charlottesville, Virginia 22901 12. REPORT DATE 11. CONTROLLING OFFICE NAME AND ADDRESS January 1, 198 Engr. Psychology Programs Department of the Navy, Office of Naval Research 13. NUMBER OF PAGES Arlington, Virginia 22217 15. SECURITY CLASS. (of this report) 4. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office) Unclassified 15a. DECLASSIFICATION/DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release, Distribution Unlimited 17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if different from Report) 18. SUPPLEMENTARY NOTES None 19. KEY WORDS (Continue on reverse elde if necessary and identify by block number) Sensitivity Analysis

Planning and Decision Support

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

This paper surveys contemporary research involving error and sensitivity analysis approaches useful for the design of aids for planning and decision support. Discussed are structural sensitivity considerations as well as the effects of errors, for both single and multiattribute cases, in estimation or elicitation of probabilities and utilities. One of the major uses for sensitivity analysis type results is in bounded prioritization of alternatives using ordinal information. This use of sensitivity analysis is discussed and illustrated with examples

DD 1 JAN 73 1473 EDITION OF 1 HOV 65 IS OBSOLETE

<u>Unclassified</u> SECURITY CLASSIFICATION OF THIS PAGE (Then Date Ente

4:7967

## SENSITIVITY ANALYSIS IN SYSTEMS FOR PLANNING AND DECISION SUPPORT

Andrew P. Sage
Department of Engineering Science and Systems
University of Virginia
Charlottesville, VA 22901

H

#### **ABSTRACT**

This paper surveys contemporary research involving error and sensitivity analysis approaches useful for the design of aids for planning and decision support. Discussed are structural sensitivity considerations as well as the effects of errors, for both single and multiattribute cases, in estimation or elicitation of probabilities and utilities. One of the major uses for sensivitity analysis type results is in bounded prioritization of alternatives using ordinal information. This use of sensitivity analysis is discussed and illustrated with examples.

This research was supported, in part, by the Office of Naval Research under Contract NO014-80-C-0542. Several discussions with Chelsea White, III were especially helpful and are hereby acknowledged.

## 1. Introduction

A contemporary effort of much interest is the design of evaluation and choice making aids for planning and decision support processes. These adjuvants are sometimes called management information systems; although we feel that the terms decision support system, or planning and decision support system, are more appropriate. A central purpose in use of these systems is not just presentation of information representing facts and values, but the aggregation of this information to aid in evaluation and choicemaking. Research in this area involves many disciplines and perspectives; and thus we have a large scale systems problem. There are a number of sources of error in the design of decision analysis algorithms for planning and decision support systems. We discuss several of these in this paper, namely: errors in the structure of the decision situation, errors in the elicitation of probabilities, and errors in the assessment of single and multiple utility functions. Also, decisionmakers sometimes find it very difficult to provide precise (cardinal) estimates of weights and find it much less stressful to provide ordinal values. As shown in Section 4, sensitivity results can often then be used to infer priorities. We conclude our survey and presentation with a discussion of some contemporary research needs in this area.

# 2. Sensitivity to Probability Estimation Errors

In decision analysis problems under risk, it is necessary to obtain an objective or subjective estimate of the probability that various outcome states will result from decision alternatives. Once a recommended decision has been established, it is often useful to determine the magnitude of the changes in the state probabilities required for the recommended decision to become less desirable than another decision alternative. This magnitude, coupled with some knowledge of the quality of the state probability estimates, can be used to determine how confident we are in the optimality of the recommended decision.

We consider the three outcome state case first; then we generalize these results to the n outcome state case. For convenience, we assume that the probability associated with each outcome state is independent of the action alternatives. With alternative a we associate a utility vector

$$(u^{\dagger})^{\mathsf{T}} = [u_1^{\dagger} \ u_2^{\dagger} \ u_3^{\dagger}]$$
 (2.1)

and we write for the outcome state probability

$$p^{\mathsf{T}} = [p_1 \quad p_2 \quad p_3] \tag{2.2}$$

The expected utility of alternative a is then

$$EU(a^{i}) = p^{T} u^{i} = p_{1}u_{1}^{i} + p_{2} u_{2}^{i} + p_{3} u_{3}^{i}$$
 (2.3)

Now suppose that the probabilities  $p_4$ , are perturbed. Since we must maintain

$$p_1 + p_2 + p_3 = 1, p_1 \ge 0$$
 (2.4)

we must have

$$\Delta p_1 + \Delta p_2 + \Delta p_3 = 0 {(2.5)}$$

By substituting Eq. (2.4) into Eq. (2.3), we see that the equation for constant expected utility is that of a straight line

$$EU(a^{i}) = u_{3}^{i} + p_{1}(u_{1}^{i} - u_{3}^{i}) + p_{2}(u_{2}^{i} - u_{3}^{i})$$
 (2.6)

in two dimensions,  $p_1$  and  $p_2$ . The difference in expected utility for alternative i and j is some amount  $\Delta^{ij}$  given by

$$\Delta^{ij} = EU(a^{i}) - EU(a^{j}) = p_{1}(u_{1}^{i} - u_{1}^{j}) + p_{2}(u_{1}^{i} - u_{2}^{j}) + p_{3}(u_{3}^{i} - u_{3}^{j})$$
 (2.7)

As long as  $\Delta^{ij} \geq 0$  we know that alternative  $a^i$  is preferred to alternative  $a^j$ . The relation  $\Delta^{ij} = 0$  graphs as a straight line in the  $p_1$ ,  $p_2$  plane if we make use of Eq. (2.4) to eliminate  $p_3$ . Doing this, however, distorts the planes of interest somewhat. Fortunately, the three dimensional space for  $p_1$ ,  $p_2$ ,  $p_3$  becomes a plane when we associate the constraint of Eq. (2.4) with this space.

Figure (2.1) indicates a typical probability triangle. It is straightforward to show that graphs of  $\Delta^{ij}=0$  are straight lines in Figure 2.1. For example, the graphs of  $\Delta^{ij}=0$  for the problem of Table 2.1 are shown in Figure 2.1.

	0.		
Alternative	× <sub>1</sub>	× <sub>2</sub>	<b>x</b> 3
a	1.0	0.7	0.5
a <sup>2</sup>	0.9	0.6	0.3
a <sup>3</sup>	0.6	0.9	0.2
a4	0.7	0.8	0.3
a <sup>5</sup>	0.0	0.0	1.0

Table 2.1 Illustrative Utilities for a Simple Example

Of interest in this figure is the fact that alternative 1 dominates alterna-

tive 2 in that the utility of each outcome state is greater for alternative 1 than for alternative 2. Further, it is not possible for alternative 4 to be the best alternative and the optimum decision regions are as shown in Figure 2.2.

For more than three outcome states, the graphical approach suggested here is infeasible. Isaacs [12] and Fishburn, Murphy and Isaacs [7] describe a general approach that is applicable to the n dimensional case. This approach allows determination of that "second best" alternative which could become the best alternative due to a minimum overall variation in probability.

There are, in general, a variety of possible ways in which probability estimates can be incomplete. Among these are the following [6, 12]:

- 1. The decision maker provides an estimate of the p,
- 2. The decision maker provides a probability density function,  $g(p_i)$ , for the  $p_i$ .
- 3. There exists no information about the p;
- 4. There exists an ordinal measure, or ordering of the  $p_1$ . For convenience, and without loss of generality, we may assume that  $p_1 \ge p_2 \ge \cdots \ge p_n$ .
- 5. There exists bounded internal measures such that each  $p_i$  is bounded, such as  $a_i \le p_i \le a_i + e_i$  with  $a_i \ge 0$ ,  $e_i \ge 0$ .
- 6. There exists a set of inequalities relating the  $P_i$ , such as  $k+1 \qquad \qquad k$   $\sum_{j=1}^{\Sigma} p_{j+1} \geq p_j \geq \sum_{j=1}^{\Sigma} p_{j+1}$
- 7. Some of the  $p_i$  are known whereas others are related by inequalities of the forms given in (4), (5), or (6).

There exists several ways in which the, possibly partial, information concerning probabilities may be processed to assist in evaluation of the alternative courses of action. Among these are:

- (a) The estimate of the  $p_j$ , if provided, may be used to obtain the subjective expected utility of each alternative  $a^j$  from the relation  $\sum_{j=1}^{n} p_j u_j^i$ . A sensitivity analysis similar to that of our Section 3 may be used to determine the possibility of a decision switch due to probability elicitation errors.
- (b) The expected probability of each event outcome may be computed from  $\hat{P}_j = \int_{-\infty}^{\infty} P_j g(P_j) dP_j$  and the  $\hat{P}_j$  used in place of the  $P_j$ . Estimates of subjective expected utility are obtained as in (a) above.
- (c) Various dominance relations may be obtained from the ordinal bounds and bounded interval measures provided by the decision maker.
- (d) Various minimum changes for a decision switch may be obtained.
- (e) Regions in which various alternatives are best may be determined and displayed for the decision maker.

Often, various forms of stochastic dominance [27, 28] can be used to eliminate alternatives from consideration even when there exists little or no information concerning event outcome probabilities. For case 3, in which there exists no probability information, alternative j will dominate alternative i if  $u^j \ge u^i$ , with the inequality holding for at least one component of the utility vector. In component form this becomes  $u^j_k \ge u^i_k$ , k=1,2... n. For example, we easily see that alternative 1 dominates alternative 2 for the alternatives and utilities illustrated in Table 2.1. This may be written  $a^1 \ge a^2$ .

Further, it is often possible to identify an alternative which may not be dominated but which is inferior to or dominated by a mixed strategy con-

sisting of a mass probability  $F^T = [F^1, F^2, ..., F^m]$  on the set of primary alternatives  $a^T = [a^1, a^2, ..., a^m]$ . If the decision maker adopts mixed strategy F, then alternative  $a^i$  is elected with probability  $F^i$ . For the example posed by the data Table 2.1 we see that  $0.5 \ u_j^1 + 0.5 \ u_j^3 \ge u_j^4$ , j=1,2,3. Thus alternative 4 is dominated by the mixed strategy  $F^T = [0.5,0,0.5,0,0]$ . Consequently we may delete alternative 4 from further consideration for the particular case when mixed strategies can be considered and when there is no information available concerning the probabilities of event outcomes. It is dominated by the mixed strategy of choosing alternative 1 with probability 0.5 and alternative 3 with probability 0.5.

In the general case, with no assessment of probabilities, alternative a is dominated by a mixed strategy F, assuming the probability vector p is the same for all alternatives, if

$$\sum_{j \neq 1} F^{j} u_{k}^{j} \ge u_{k}^{j} \text{ for } k = 1, 2, ..., n$$
 (2.8)

If there exist an ordinal ranking of probabilities, as in case 4, then we can easily show that option alternative a is dominated by a mixed strategy if there exists a mixed strategy F such that

$$\sum_{\substack{j \neq 1 \\ j \neq 1}} F^{j}(\sum_{k=1}^{j} u_{k}^{j}) \ge \sum_{k=1}^{j} u_{k}^{j} \text{ for } j = 1, 2, ..., m$$
 (2.9)

Unfortunately there does not appear to be any method that is general and simple to use to determine appropriate mixed strategies. Often, also, the appropriateness of mixed strategies must be questioned for many applications.

For the case where there exists bounded interval measures in the form of case 5, then the primary strategy alternative  $\mathbf{a}^{\mathbf{i}}$  dominates alternative  $\mathbf{a}^{\mathbf{j}}$  if

$$\Xi \cdot \begin{bmatrix} \Sigma & \alpha_k & (u_k^j - u_k^j) \end{bmatrix} \ge 0$$
 (2.11)

where  $\Xi$  is the minimum value of the objective function for the linear programming problem

$$\min \sum_{k=1}^{n} x_{j}(u_{k}^{j} - u_{k}^{j})$$
 (2.13)

subject to  $0 \le x_k \le e_k$ 

There appear to be no general formulae for cases 6 and 7 in which there exists sets of inequalities governing the  $p_i$ . For any given set of inequalities, we may write equations involving expected utilities and then equate coefficients. A paper by Barron [1] provides two detailed examples of computations involving these inequalities. Additional details concerning sensitivity of decisions to probability estimation errors may be found in 16, 7, 23, 28, 29].

3. Sensitivity to Variations in Utility-Single Attribute Utility Functions for Decisions Under Uncertainty

In this section, we examine sensitivity relations to changes in utility functions. This section will concern the single attribute case. We will extend the results in this section to the scalar multiattribute case in the next section. The vector multiattribute is considered in [28]. When considering utility function changes, it is convenient but not at all necessary to consider that the same output value or utility function is common to all alternatives and, therefore, represent different alternatives by different probability density or mass functions.

For the continuous state case, we consider a utility function u(x) and alternative  $a^j$  defined by the associated probability density function  $f^j(x)$ . For the finite state case we consider a utility function  $u(x_i)$ ,  $i=1,2,\ldots,n$  and alternatives  $a^j$  defined by an associated probability mass vector function  $P^j$  which has n components,  $(P^j)^T = [P^j(x_1), P^j(x_2), \ldots P^j(x_n)] = [P^0_1, P^j_2, \ldots, P^j_n]$ .

There are a variety of ways in which utility estimates can be stated, possibly incompletely. Among these are the following:

- 1. The decision maker may provide a complete estimate of the value function v(x) and utility function u(x)
- 2. The utility function u(x) or value function may be completely unspecified.
- 3. Only ordinal preferences are specified.
- 4. The value function may be specified, but not the risk aversion coefficient. In this case, the utility function is unspecified.

If the value and utility function are completely specified, the expected

utility of each alternative may be computed and a sensitivity analysis similar to that of Section 4 conducted to determine the potential of a likely decision switch due to utility and value function elicitation errors. If the value function is completely unspecified, then the decision maker is inchoate and there is virtually nothing that can be done to aid the decision maker except through procedures that will enhance the value coherence of the decision maker.

Much information concerning alternative option preferences can be obtained from just an ordinal ranking of preference for outcome states. In the sequel we will assume that the decision maker can always express an ordinal preference for the value of event outcomes of the form  $v(x_1) \leq v(x_2) \leq \ldots, \leq v(x_n)$ .

When ordinal preferences among event outcomes can be elicited, and when probabilitic estimates of occurence of these states can be obtained, then concepts of stochastic dominance can be used to determine bounds on alternative preferences. And if values but not utilities are specified, then it will often be possible to specify risk aversion coefficients which bound alternative preferences. We will illustrate each of these claims by means of a simple example. Prior to doing this, however, it is desirable to establish some fundamental concepts concerning stochastic dominance [29].

We say that alternative  $a^i$  is preferred to alternative  $a^j$  whenever the expected utility of alternative  $a^i$  is greater than that for alternative  $a^j$ . In symbols, we have if  $a^j > a^j$ 

$$\int_{-\infty}^{\infty} f_{\mathbf{j}}(x) u(x) dx > \int_{-\infty}^{\infty} f_{\mathbf{j}}(x) u(x) dx$$
 (3.1)

where  $f_i(x)$  is the probability density function for the event outcome, x, associated with alternative  $a^i$ ; and u(x) is the utility of the outcome states. We wish to provide for a value function v(x) and will restrict this, for convenience to the interval [0, 1]. The value function is not necessarily a monotone function of the outcome states, x. The utility function, however, should be isotone in v. Thus it is convenient to rewrite Eq. (3.1) as  $a^i \not > a^j$  if

$$\int_{0}^{1} f_{i}(v) u(v) dv \ge \int_{0}^{1} f_{j}(v) u(v) dv$$
 (3.2)

where we realize that the utility function is written as u[v(x)] but where we delete the x symbol for convenience.

Stochastic dominance concepts are based upon the imposition of a series of increasing constraints upon the form of the utility function u(v). The most trivial assumption is that utility is a monotone increasing function of increasing value. Thus we require  $du(v)/dv = u'(v) \ge 0$ . We now integrate Eq. (3.2) by parts. Since we have

$$\int_{0}^{1} f_{i}(v) u(v) dv = P_{i}(v) u(v) \Big|_{0}^{1} - \int_{0}^{1} P_{i}(v) u'(v) dv$$

$$= 1 - \int_{0}^{1} P_{i}(v) u'(v) dv$$

we obtain for Eq. (3.2)

$$\int_{0}^{1} [P_{j}(v) - P_{j}(v)] u'(v) dv \le 0$$
 (3.3)

Without specification of u(v) but with specification that  $u'(v) \ge 0$ , we see that the inequality of Eq. (3.3) will be satisfied if and only if

$$P_{i}(v) \leq P_{i}(v) \quad \forall v \in [0, 1]$$
 (3.4)

With the inequality holding for at least one i. This is the requirement for first order stochastic dominance. When the inequality of Eq. (3.4) holds we say that  $a^i$  dominates  $a^j$  by first order stochastic dominance or  $a^i$   $\{ 1, a^j \}$ .

We can rewrite the expression for the probability mass function  $P_i(v_k) = \int_0^k f_i(v) dv$ 

in terms of discrete state probabilities  $P_i(v_i)$ ,  $\ell=1,2,...,k$  as

$$P_{i}(v_{k}) = \sum_{\ell=1}^{k} p_{i}(v_{\ell})$$

If, in addition to requiring monotonicity of the utility function, we also require risk aversion; then we impose the further requirement that  $d^2u(v)/dv^2 = u''(v) \le 0$ . We integrate Eq. (3.3) by parts to obtain

$$u'(1) r(1) - \int_0^1 r(v) u''(v) dv \le 0$$

where

$$\Gamma(v) = \int_{0}^{v} [P_{i}(\alpha) - P_{j}(\alpha)] d\alpha$$

To satisfy this requirement for  $u'(1) \ge 0$  and  $u''(v) \le 0$ , we must require  $\Gamma(v) \le 0$  in the interval 0 to 1. Our requirement for what is called second order stochastic dominance becomes, therefore,

$$\int_{0}^{V} \left[ P_{j}(\alpha) - P_{j}(\alpha) \right] d\alpha \leq 0, \quad \forall v \in [0, 1]$$
(3.5)

For the finite state case we replace Eq. (3.5) with

$$\sum_{\ell=1}^{k} P_{j}(v_{\ell}) - P_{j}(v_{\ell}) \quad [v_{\ell+1} - v_{\ell}] \leq 0, \forall k \in [2, n]$$
 (3.6)

with the inequality holding for at least one k.

An excellent discussion of stochastic dominance concepts is presented in the chapter by Fishburn and Vickson in [29].

In the general case we can write the requirement for  $k^{th}$  order stochastic dominance of alternative  $a^i$  over  $a^j$ ,  $a^i \not >_2 a^j$ , as

$$r_k(v) \le 0 \quad \forall v \in [0,1]$$
 (3.7)

where

$$r_k(v) = \int_0^v r_{k-1}(\alpha) d$$

$$r_i(v) = P_i(v) - P_j(v)$$

Satisfaction of Eq. (3.7) will insure, for increasing k, various increasing requirements on risk aversion of the form  $u'(v) \ge 0$ ,  $u''(v) \le 0$ ,...,  $(-1)^k$   $u^k(v) \le 0$ .

A particularly interesting case occurs for  $k=\infty$ . The utility curve for infinite risk aversion is given by u(v)=0, v=0 and u(v)=1  $\forall v_{\epsilon}(0,1]$ . Generally, it will be relatively easy to determine requirements for infinite order stochastic dominance. Since the strength of the dominance relation increases with increasing order, we can use this concept to advantage, especially in the multiattribute case, We note that we will be able to determine first order dominance, and infinite order dominance, for many discrete state problems with only ordinal event outcome preference information. Value preference bounds may be determined from ordinal preference information from higher order stochastic domination concepts. This requires the solution of linear programs, much the same as those of Eqs. (2.12) through (2.14) L27-291.

Mean variance dominance, or expected value dominance, is a concept that has often been used, especially in capital budgeting efforts. Alternative  $\mathbf{a}^{\mathbf{j}}$  dominates alternative  $\mathbf{a}^{\mathbf{j}}$  in terms of expectation or mean value domination if it has a greater expected value such that

<sup>\*</sup>We can also compute, with relative ease, the expected utility for the modified infinite risk aversion case where u(v)=0,  $\forall v \in \{0, v_1\}$  and u(v)=1,  $\forall v \in \{v, 1\}$ .

$$\bar{a}_{j} = \int_{0}^{1} v p_{j}(v) dv \ge \int_{0}^{1} v p_{j}(v) dv = \bar{a}_{j}$$
 (3.8)

Alternative  $a^i$  dominates alternative  $a^j$  in terms of variance if the variance associated with alternative i is less than that associated with alternative j, or

$$\sigma_{i}^{2} = \int_{0}^{1} v^{2} p_{i}(v) dv - a_{i}^{2} \le \int_{0}^{1} v^{2} p_{j}(v) dv - a_{j}^{2} = \sigma_{j}^{2}$$
 (3.9)

When an alternative dominates another alternative in both expectation and variance, it is said to dominate it in an EV domination sense. Generally, domination in either expectation or variance is not necessarily meaningful. And even EV domination is a less valuable concept than the various stochastic dominance concepts, in that one can easily configure problems for which a non preferred alternative, that is one either stochastically dominated by another alternative or with a lower expected utility than another alternative, may dominate another alternative in an EV domination sense [28]. Thus the EV domination concept must be used with caution.

As an example of sensitivity calculations which use stochastic domination concepts, we consider the problem posed by Table 3.1.

	state						
Alternative	$v(x^{j})=0$	v (x <sub>2</sub> )=0.25	$v(x_3^3) = 0.5$	v(x410.75	v(x <sub>5</sub> )=1.0		
al	0.25	0.25	0.25	0.25	0		
a <sup>2</sup>	0	0.25	0.25	0.25	0.25		
a <sup>3</sup>	0.15	0.15	0.20	0.25	0.25		
a_	0.20	0.80	C	0	0		
a <sup>5</sup>	0.50	0	0	0	0.50		
a <sup>6</sup>	0	0	1.0	0	0		

Table 3.1 Probability of Occurrence of Various Event Outcome States (shown also are cardinal values, which are used in some calculations)

For first order stochastic dominance we have, from Eq. (3.4), the first order stochastic dominance reachability matrix and digraph [21] shown in Figure (3.1). We note that we need only use the ordinal preferences information among state values to determine this domination relationship.

We must know cardinal values in order to use second and higher order domination relations, however. Bounds on these values can be utilized, and consider multivariate can multiattribute outcomes. as discussed in [27], [28] and [29]. Unfortunately, this requires resolution of a number of linear programs and this can be computationally rather unattractive. If we use the cardinal values specified in Table 3.1, it is a simple matter to use Eq. (3.5) or Eq. (3.6) to obtain the reachability matrix and minimum edge digraph shown in Figure 3.2. We note that first order stochastic dominance insures second order stochastic dominance. Thus, there is no need to determine dominance for the dominated relations of Figure 3.1. From Figure 3.1 we see that the only possible dominance relations which we need check are

From these candidate relations we determine that

$$a^{6} + 2 a^{1}$$
,  $a^{2} + 2 a^{5}$ ,  $a^{3} + 2 a^{5}$ ,  $a^{6} + 2 a^{5}$ 

and these are, of course, shown in Figure 3.2.

For infinite order stochastic dominance we easily see, from Table 3.1, that

$$a^2 \sim a^6 \geqslant a^3 \geqslant a^4 \geqslant a^1 \geqslant a^5$$

and this dominance pattern is illustrated in Figure 3.3. This dominance digraph indicates that the best two alternatives are  $a^2$  and  $a^6$ ; just as did the second order stochastic dominance effort. But, infinite order stochastic dominance results, effectively, in a maximization of the probability that the alternative selected will result in other than the minimum return.

<sup>\*</sup>Stochastic dominance of order n guarantees stochastic dominance of order greater than n.

It can be a rather pesimistic criterion, therefore. It may well turn out that alternative  $a^3$  is preferred to alternative  $a^6$  for a more realistic utility function.

We next examine EV domination and easily establish the results shown in Figure 3.4. From this figure we indeed see that domination based on expectation only is a poor indicator to use for choicemaking. Although the EV dominance digraph shown in Figure 3.4C is slightly different from that obtained using the second order stochastic domination results, it does indicate that the best three alternatives are  $a^2$ ,  $a^3$ ,  $a^6$ .

To determine the final choice alternative we might assume a standard exponential relationship, expressing constant risk aversion r, to relate utility and value. Here we will use

$$u(v) = \frac{1 - e^{-rv}}{1 - e^{-r}}$$

The expected utilities for alternatives  $a^2$ ,  $a^3$ ,  $a^6$  are easily determined for various r as shown in Figure 3.5. There is no way, of course, that  $a^3$  can be the preferred alternative since it is dominated by  $a^2$ .  $a^6$  can be either the most preferred, the second most preferred, or the third most preferred alternative depending upon the amount of risk aversion. Figure 3.5 indicates transition points where the various optimum decision alternatives change.

4. Sensitivity in Scalar Multiple Attribute Utility Analysis

Much contemporary emphasis has been placed on the evaluation of alternatives using multiple attribute utility theory. The numerical utility that results from use of multiattribute utility theory depends upon the structure of the multiple attribute utility function, the scaling coefficients within this structure, and the individual single attribute utility functions which are aggregated to determine the multiple attribute utility functions.

Fishburn [8,9] has considered approximations of scalar multiattribute utility functions in which u(x) is a continuous real valued scalar cardinal utility function and v(x) is an approximation for u(x). A number of approximations to u(x) of the general form

$$v(x) = v(x_1, x_2,..., x_n) = \sum_{j=1}^{k} f_{1j}(x_1) f_{2j}(x_2)... f_{n_j}(x_n)$$

are considered. A distance metric in the form of the uniform norm

$$D(u, v) = \sup | u(x) - v(x)|$$

is minimized. Among the results of these efforts, the following are especially significant:

1. An additive utility function u(x) can be approximated to arbitrary closeness by the multiplicative form

$$v(x) = \prod_{i=1}^{n} V(x_i)$$

2. If u(x) is multiplicative, then there is a lower bound on the distance between the actual utility and an additive approximation. One of the interesting conclusions of this effort is that simple additive approximations may function as well as the more complicated multiplicative.

approximations for cases in which the true utility function, u(x), is neither multiplicative nor additive.

Much effort has been devoted to parameter sensitivity in deterministic additive models. Among the most useful results obtained from these studies is the indication that differential weighting of attributes is often not necessary and that equal weighting will perform essentially as well when all attributes have a high positive correlation with each other. Leung [14] provides a survey of much of this work with a number of references to contemporary literature.

Among the more useful of sensitivity type results that can be established for multiattribute decisionmaking under certainty are various types of dominance results for the case where attribute scores, in the range 0 to 1, can be established for each alternative. In the most unspecified case nothing is known about the n weights for an assumed linear multiattribute utility function except that

$$w_i \ge 0$$
,  $i = 1, 2, ..., n$  (4.1)

$$\begin{array}{ccc}
n \\
\Sigma \\
i=1
\end{array}$$
(4.2)

$$u^{j} = u(a^{j}) = w^{T}u^{j} = \sum_{i=1}^{n} w_{i}u_{i}(a^{j}) = \sum_{i=1}^{n} w_{i}u_{i}^{j}$$
 (4.3)

If it turns out that  $u_i^j \ge u_i^k \quad \forall i$ , with the inequality holding for at least one i, then we easily see that alternative j must have, regardless of the weights, a greater utility,  $u(a^j)$ , than alternative k. We say that  $a^j$  dominates  $a^k$ . If we have, for example,

$$u^1 = 0.2 w_1 + 0.2 w_2$$
  
 $u^2 = 0.5 w_1 + 0.2 w_2$ 

$$u^3 = 0.3 w_1 + 0.2 w_2$$
  
 $u^4 = 0.5 w_1 + 0 w_2$ 

then we see that  $a^2 \succeq a^1$ ,  $a^2 \succeq a^3$ , and  $a^2 \succeq a^4$  for any  $w_1$  and  $w_2$  subject to Eqs. (4.1) and (4.2). Figure 4.1 illustrates these four utilities and the associated dominance relations. We see from this figure that there is no dominance of alternative 3 by alternative 1; nor is there dominance of alternative 3 by alternative 4. Yet we see that there are no values of the weights such that  $a^3$  is preferred to  $a^1$  and  $a^4$ . We may establish this fact by noting that the requirements for  $a^3 \succeq a^1$ , which is  $w_1 \succeq w_2$ , and  $a^3 \succeq a^4$ , which is  $w_2 \succeq 2w_1$ , are inconsistent.

In the general case where utilities are defined by Eq. (4.3) and the constraints of Eqs. (4.1) and (4.2) hold, we can show that alternative k will be dominated by a mixed strategy of the (m-1) remaining alternatives if there is a non zero (positive) solution J to the linear programming problem

$$J = \min \sum_{\substack{i=1\\i\neq k}}^{m} d_i^k$$
 (4.4)

$$w_i \ge 0$$
,  $i = 1, 2, ..., n$ 

$$\sum_{i=1}^{n} w_{i} = 1$$

$$d_{j}^{k} \ge 0, j = 1,2,..., k-1, k+1,..., m$$
 (4.5)

$$\sum_{j=1}^{n} w_{i}(u_{i}^{k} - u_{i}^{j}) + d_{j}^{k} \ge 0, j=1,2,..., k-1, k+1,..., m$$
 (4.6)

When we compare alternative 3 with a mixed strategy of alternatives 1 and 4 we see that the foregoing relations become

$$J = \min(d_1^3 + d_4^3)$$

$$w_1 \ge 0$$

$$w_2 \ge 0$$

$$w_1 + w_2 = 1$$

$$d_1^3 \ge 0$$

$$d_4^3 \ge 0$$

$$.1 w_1 - .1 w_2 + d_1^3 \ge 0$$

$$-0.2 w_1 + 0.1 w_2 + d_4^3 \ge 0$$

The solution to this linear programming problem is

$$d_1^3 = 0.1 - 0.2 w_1 \quad \forall \quad w_1 \leq 0.5$$

$$d_4^3 = 0.3 w_1 - 0.1 \quad \forall \quad w_1 \geq 0.33$$

We see that there is a non zero J over the entire range of  $\mathbf{w}_1$  and thus note again that alternative 3 is dominated by a mixed strategy of alternatives 1 and 4.

In many cases it will be possible for the decisionmaker to express ordinal weights, or bounds, on the weights  $\mathbf{w_i}$  in the form

$$w_1 \geq w_2 \geq \dots \qquad w_n \geq 0 \tag{4.7}$$

Suppose also that it turns out that

$$u_1^j = u_1^k + \varepsilon_1$$

$$u_{2}^{j} = u_{2}^{k} + \varepsilon_{2} - \varepsilon_{1}$$

$$u_{3}^{j} = u_{3}^{k} + \varepsilon_{3} - \varepsilon_{2}$$

$$\vdots$$

$$u_{i}^{j} = u_{i}^{k} + \varepsilon_{i} - \varepsilon_{i-1}$$

$$\vdots$$

$$u_{n}^{j} = u_{n}^{k} + \varepsilon_{n} - \varepsilon_{n-1}$$

$$(4.8)$$

where  $\epsilon_i \geq 0$   $\forall$  i. Then we have for the utility of alternative j

$$u^{j} = \sum_{i=1}^{n} w_{i} u_{i}^{j} = \sum_{i=1}^{n} w_{i} (u_{i}^{k} + \varepsilon_{i} - \varepsilon_{i-1})$$

$$(4.9)$$

Where  $\epsilon_0 = 0$ . We can write, by changing the summation index,

n n-1
$$\sum_{i=1}^{\Sigma} w_i \quad \epsilon_{i-1} = \sum_{i=0}^{\Sigma} w_{i+1} \quad \epsilon_i$$

such that Eq. (4.8) becomes, using Eq. (4.3),

$$u^{j} = u^{k} + \sum_{i=1}^{n-1} \varepsilon_{i} (w_{i} - w_{i+1}) + \varepsilon_{n} w_{n}$$

Since we know that  $\varepsilon_i \geq 0$  and  $w_i \geq w_{i+1} \geq 0$ , we have established the fact that if the equalities of Eq. (4.8) hold, we must have  $a^j \not\models a^i$  regardless of the value of the weights. Equation (4.8) is not in the form most suited for actual use and can easily be rewritten in terms of the cumulative difference inequality

$$\sum_{i=1}^{m} u_{i}^{j} \geq \sum_{i=1}^{m} u_{i}^{k}, m = 1, 2, ..., n$$
(4.10)

which is in a form quite suitable for actual use.

For the four alternatives and utilities considered earlier in this section we still have  $a^2 \succeq a^1$ ,  $a^2 \succeq a^3$  and  $a^2 \succeq a^4$ . We also have  $a^4 \succeq a^3$ ,  $a^3 \succeq a^1$ , and the implied transitive preference,  $a^4 \succeq a^1$  as well. In this particular case, specifying an ordinal scale for the attribute weights has completely ordered the (dominance) preference relationship. As indicated in Figure 4.2, the imposition of the constraint  $w_1 \geq w_2$  simply eliminates the right half of the space in Figure 4.1 where  $w_2 \geq 0.5$ .

Even though alternative k may not be dominated by alternative j, it may or may not always have a lower utility than the mixed strategy of alternative i or alternative j. For example in

$$u^{5} = 0.6 w_{1} + 0.4 w_{2}$$
 $u^{6} = 0.3 w_{1} + 0.9 w_{2}$ 
 $u^{7} = 0.7 w_{1} + 0.2 w_{2}$ 

we see that alternative 5 is not dominated by alternative 6 or alternative 7 if  $w_1 \ge w_2$ .\* However in order to have  $a^5 \not \le a^6$  and  $a^5 \not \le a^7$  we must have

$$w_1 \ge w_2$$
 $0.6 w_1 + 0.4 w_2 \ge 0.3 w_1 + 0.9 w_2$ 
 $0.6 w_1 + 0.4 w_2 \ge 0.7 w_1 + 0.2 w_2$ 

$$1.67w_2 \leq w_1 \leq 2 w_2$$

or

<sup>\*</sup>If, w2 > w1 then alternative 6 dominates alternative 5 as can be shown.

or, since 
$$w_2 = 1 - w_1$$
,  
 $5/8 \le w_1 \le 2/3$ 

Thus, dominance of  $a^5$  over  $a^6$  and  $a^7$  is not guaranteed except over a small range of  $w_1$ . On the other hand if we have

$$u^8 = 0.8 w_1 + 0.1 w_2$$

then we will have  $a^5 + a^6$  and  $a^5 + a^8$  only if

$$1.67 \text{ w}_2 \leq \text{w}_1 \leq 1.5 \text{ w}_2$$

and this is in consistent. Thus alternative 5 can not be the alternative with the highest utility in that the utility of alternative 6 or alternative 8 is always greater than this. Figure 4.3 illustrates preference relationships among alternative 5, 6, 7, and 8 as obtained here.

For the general case where the attribute weights are ordered as in Eq. (4.7), it turns out that alternative k will be dominated by a mixed strategy of the (m-1) remaining alternatives if there is a non zero solution J to the linear programming problem

$$J = \min \sum_{\substack{i=1\\i\neq k}}^{m} d_{i}^{k}$$

$$w_{1} \geq w_{2} \geq \cdots \geq w_{n} \geq 0$$

$$\sum_{\substack{i=1\\i\neq k}}^{n} w_{i} = 1$$

$$d_{j}^{k} > 0, j = 1, 2, \dots, k-1, k+1, \dots, m$$

$$\sum_{\substack{i=1\\i\neq k}}^{n} w_{i}(u_{i}^{k} - u_{i}^{k}) + d_{j}^{k} \geq 0, j = 1, 2, \dots, k-1, k+1, \dots, m$$

$$(4.11)$$

There have been a number of sensitivity studies of multiattribute utility in the psychological literature [3-5, 24, 30] and the effect of errors, including cognitive bias induced errors, upon risk and uncertainty estimation [22]. A major goal of this psychological research is, a theory of errors. This will allow determination of the effects of poor structuring of decision situation models and poor elicitations of values and uncertainties and the aggregation of these into decision rules. A to be hoped for achievement of all of this research is a theory that explains and clarifies descriptive and prescriptive approaches to substantive and procedural judgment and decision processes such as to enable the design of more efficacious systems for planning and decision support. In this section we have indicated how sensitivity results can be used to this end, and how sensitivity analysis can be used to reduce often considerably, the needed number of precise weights. This should generally reduce the potential cognitive stress involved in decision analysis efforts. Some rather general results concerning partially identified parameters and associated sensitivity analysis for planning and decison support are given in [28].

5. Sensitivity and the Structure of Decision Situation Models

Sensitivity analysis results can be used to guide the structuring of decision situations. This has been the thrust of recent efforts by Leal, Pearl, and Saleh [13, 16]; Merkhoffer et. al. [15]; and Rajala and Sage [17-20]. Of interest also is the related work of Chen and Jarboe [2]; Haruna and Komoda [10]; and Howard, Matheson, and North [11].

Use of sensitivity measures to guide the structuring of decision trees, and related structures such as fault trees, requires the availability of preference or utility measurements for event outcomes and uncertainty measures over events. There are four concepts of value in structuring decision trees using sensitivity concepts:

- (1) sensitivity differential of a node
- (2) relative sensitivity differential of a node
- (3) expected value of resolving residual uncertainty
- (4) decision sensitivity to outcome variable uncertainty resolution

The sensitivity differential of a node,  $\Delta$ , is the change that must occor in the value of that node in order to cause a change in the currently best initial decision. In Figure 5.1 for example, a decrease in the value,\* or utility, v(x, d) at node B of more than 0.95 units will cause the best initial decision to switch from  $a^1$  to  $a^3$ . It would require a decrease of -0.125 units in the value at node E, for example, for this to happen. A recursive relation

$$\Delta(i) = \begin{cases} \frac{\Delta(i-1)}{p_i} & \text{, node i is an event node} \\ \Delta(i-1) + v_{i-1}(x) - v_i(x) & \text{node i is a decision node} \end{cases}$$

may be determined [13]. Here  $\Delta(i)$  is the sensitivity differential associated \*We use the value symbol for convenience. All of the discussion in this section applies to utilities as well as to values.

with node i and  $\Delta(i-1)$  is the sensitivity differential of the preceding node.  $v_i(x)$  and  $v_{i-1}(x)$  refer to the expected values at nodes i and i-1.

The relative sensitivity differential of node i is given by

$$s_r(i) = \frac{\sigma_v(i)}{\Delta(i)}$$

where  $\sigma_{V}(i)$  is the anticipated change in the value at node i which may result from further refinement. Unfortunately there is no general way to determine  $\sigma_{V}(i)$  except by elicitations from the decision maker. It is reasonable that  $\sigma_{V}(i)$  is linearly proportional to  $v_{i}(x)$  since greater inaccuracies typically are associated with larger values.

The expected value of resolving residual uncertainty (EVRRU) may be easily computed [15]. We assume that, in Figure 6.2, the current best decision is  $[a^1, a^4]$ . The following results are obtained:

- The EVRRU is zero if we consider a node, such as node 1, in which
  the node is along a path leading from the current best <u>initial</u>
  decision, a<sup>1</sup>, but not the best current decision [a<sup>1</sup> a<sup>4</sup>].
- The EVRRU is zero if we consider a node such as node 2, in which the node is along a path leading from the current best initial decision. a<sup>1</sup>. but where

$$P_{i}[v(x, a^{1}, a^{4}) - v(x, a^{1}, a^{5})] \leq v(x, a^{1}) - v(x, a^{2})$$

3. For case 2, the EVRRU is given by

EVRRU = 
$$P_i P_j f [v^2(x) + \Delta - m_*^2]$$
  
where  $f = \text{prob} [v^{*2}(x) \le v^2(x) + \Delta]$   
 $m_*^2 = E [v^{*2}(x)| v^{*2}(x) \le v(x) + \Delta]$ 

if the inequality in case 2 is reversed.

4. If we consider node 3 which is not along the path leading from the best initial decision, then we have

EVRRU = 
$$-P_L P_m g [v^3(x) + \Delta - m^*]$$

where g = prob 
$$[v^{*3}(x) \ge v^{3}(x) + \Delta]$$
  
m\* = E  $[v^{*3}(x)| v^{*3}(x) > v(x) + \Delta]$ 

Rajala and Sage [18] have developed a 9 step tree expansion structuring procedure based upon these sensitivity relations. Steps in this procedure are:

- 1. Identify the initial decision alternatives and represent them by branches emanating from the first decision node.
- 2. Identify state variables of importance in determining the value of each alternative.
- 3. Elicit a value or utility function.
- 4. Encode provisional probability distributions on each state variable for each alternative course of action
- 5. Using the value model compute probability distributions, f and g, on the rollback value at the terminal nodes and each interior node using the state variable distributions.
- 6. Determine the next appropriate node for expansion. Either the EVRRU and/or the relative sensitivity,  $s_r(i)$ , is appropriate as an aid in this determination. If either, or both of these are below some threshold for all remaining nodes we stop expansion of the tree. Otherwise we go to step 7.
- 7. The sensitivity of the current best initial decision to uncertainty resolution in each state variable is determined. Multiattribute

- utility functions are especially appropriate to aid in this task.
- 8. We verify that the best course of action may be affected by incorporating factors determined in steps 6 and 7 into the decision model. Often this can be accomplished by determining whether the event probability required for a decision switch converges to an amount less than or equal to the amount elicited from the decisionmaker. If it does we go to step 9. If it does not we return to step 7 and repeat this step until we are convinced that no switch in the decision is feasible.
- 9. Incorporate relevant features in the decision tree to obtain a new and improved representation of the decision situation. We return to step 4 and continue the process until the EVRRU and/or  $s_r(i)$  are sufficiently low at all remaining nodes such that we conclude that no further improvement in the decision situation structural model is feasible.

We shall limit our discussion concerning the value of information measures to a primary decision situation that involves only a single decision d whose uncertain outcomes are represented by the discrete state variables  $(x_1, \ldots, x_n)$ . The uncertainty on this state vector x is encoded in the distribution f(x) and the value of the outcome is measured by the value model v(x, d).

The purpose behind considering the possibility of acquiring additional information, given this complete model of the primary decision situation, is to determine the worth of eliminating remaining uncertainty on the state variables. An important quantity which establishes an upper bound to the amount that the decisionmaker should pay to eliminate all uncertainty on a state vector is the value of perfect information.

If a clairvoyant, an individual capable of indicating the exact outcome of an uncertain quantity, were to report to the decisionmaker that a particular state vector  $\mathbf{x}^i$  would occur, then the decisionmaker could select the appropriate course of action  $\mathbf{d}_*$  that gives the maximimum value, denoted by  $\mathbf{v}(\mathbf{x}^i, \mathbf{d}_*)$ . However, since the decisionmaker does not know what  $\mathbf{x}^i$  the clairvoyant would report, the value that would be realized from a particular outcome must be weighted by the probability that the outcome will be reported. The probability that is assigned is just the prior probability,  $\mathbf{f}(\mathbf{x}^i)$ . To the decisionmaker, the expected value of the decision situation with perfect information is

$$E[v(x, d_{\star})] = \sum_{i} f(x^{i})v(x^{i}, d_{\star})$$

The well known expected value of perfect information, EVPI, which is a measure of the upper bound the decisionmaker should be willing to pay to resolve all uncertainty on a state vector x, is the difference between the quantity determined in the equation above and the expected value of the optimal course of action based only on information encoded from the decisionmaker's prior knowledge and experience, that is

EVPI = 
$$E[v(x, d_*)]$$
 -  $\max_{d} E[v(x, d)]$   
=  $\sum_{i} f(x^i)v(x^k, d_*)$  -  $\max_{d} \sum_{i} f(x^i)v(x^k, d)$ 

The magnitude of EVPI can assist the analyst in determining the level of effort to be directed toward identifying and organizing information gathering decisions into the decision model. A lower magnitude of EVPI generally warrants a lower level of structuring activity. These methods provide a basis which allows the analyst to prompt the decision-maker into identifying information gathering alternatives, with EVPI

providing additional incentive to the decisionmaker. The expected value of information from these methods is, of course, bounded above by EVPI, assuming no structural modelling errors.

The information z obtained about the state vector x from an information gathering alternative causes the decisionmaker's experience and knowledge to change, and its effect may be completely accounted for by a revision in the probability distribution on x.

The revised distribution on x is determined from Bayes' rule

$$f(x|z) = \frac{f(z|x) f(x)}{f(z)}$$

where the probability functions are appropriately defined. The expected value of information, EVI, is the difference between the optimal course of action with additional information and the optimal course of action without additional information. It is computed as

EVI = 
$$E_x[\max_{d(z,c_z)} E\{v[x, d(z, c_z]\}] - \max_{d} E[v(x, d)]$$
  
=  $\sum_{z} [\max_{d(z,c_z)} \sum_{d(z,c_z)} F(x|z) v[x, d(z, c_z)]] f(z)$   
-  $\max_{d(z,c_z)} \sum_{d(z,c_z)} F(x|x) v[x, d(z,c_z)]$ 

where  $d(z, c_z)$  indicates the primary decision d is based on information z obtained at cost  $c_z$ . If EVI is positive, then the expected value of the decision situation will increase when the secondary decision to gather additional information is made. If EVI is negative, the expected value will decrease, reflecting that information costs more than it is worth. If  $c_z=0$ , then EVI cannot be negative.

Rajala and Sage [17-20] present several examples of these procedures. These approaches are especially capable for use as structuring

tools to determine parsimonious decision trees which are reflective of the decisionmaker's perception of the decision situation. Also, the approach provides a general method to use in "pruning" already structured trees. Of particular interest, in this connection, would be the ability to deal with multi parametric sensitivity issues [25].

#### 6. Conclusions

This paper has presented a discussion of contemporary efforts involving error and sensitivity analysis of decision analysis algorithms for evaluation and choicemaking associated with planning and decision support. We have examined sensitivity to probability estimation errors, sensitivity to utility elicitation errors, sensitivity to variations in the structure and parameters of multiattribute utility functions, and sensitivity to variations in the structure as well as the probability and utility parameters. This structural sensitivity to expansion of the decision tree is especially useful in that it provides an aid in the determination of parsimonious models of decision situations.

Our recent research has also concerned a mixed scanning based planning and decision support system which involves a vector multiple attribute utility function [26, 27]. In this approach, which is believed behaviorally relevant, we intentionally avoid elicitation of attribute weights and only elicit those weights which can be shown to be most beneficial in increasing the domination pattern among alternatives. Sensitivity results of the type obtained in this paper have been found useful in guiding the partial aggregation of values. This results in a planning and decision support system in which the attribute weight elicitation procedure is guided by an interaction process involving the judgment and desires of the decision maker and suggestions concerning the efficiency of value aggregation that are determined by sensitivity analysis approaches.

#### 7. References

- 1. Barron, F. Hutton, "Using Fishburn's Techniques for Analysis of Decision Trees: Some Examples", <u>Decision Sciences</u>, vol. 4, 1973, pp. 247-267.
- Chen K. and Jarboe, K. P., "Large Scale Decision Tree Optimisation by Branch and Bound Methods", <u>Large Scale Systems</u>, vol. 1, no. 2, 1980 pp. 117-128.
- 3. Dawes, R. M., "The Robust Beauty of Improper Linear Models", American Psychologist, vol. 340, 1979, pp. 571-582.
- 4. Fischhoff, Baruch; Slovic, Paul and Lichtenstein, Sarah, "Fault Trees: Sensitivity of Estimated Failure Probabilities to Problem Representation", Journal of Experimental Psychology: Human Perception and Performance, 1978, vol. 4, pp. 330-344.
- 5. Fischhoff, Baruch; Slovic, Paul and Lichtenstein, Sarah, "Subjective Sensitivity Analysis", Organizational Behavior and Human Performance, vol. 23, 1979, pp. 339-359.
- 6. Fishburn, Peter C., "Analysis of Decisions with Incomplete Knowledge of Probabilities", Operations Research, vol. 13, no. 2, 1965, pp. 217-237.
- 7. Fishburn, Peter C.; Murphy, Allan H. and Isaacs, Herbert H., "Sensitivity of Decisions to Probability Estimation Errors: A Reexamination", Operations Research, December 1966, pp. 254-267.
- 8. Fishburn, Peter C., "Approximations of Two-Attribute Utility Functions," Mathematics of Operations Research, vol. 2, no. 1, February 1977, pp. 30-44.
- Fishburn, Peter C., "Approximations of Multiattribute Utility Functions", <u>Journal of Approximation Theory</u>, vol. 27, no. 2, October 1979, pp. 179-196.
- 10. Haruna, K. and Komoda, N., "Structural Sensitivity Analysis and its Application", <u>Large Scale Systems</u>, vol. 1, no. 2, July 1980, pp. 79-88.

- 11. Howard, R. A.; Matheson, J. E. and North, D. W., "Influence Diagrams," working paper, Dep. Eng. Eco. Syst., Stanford University, Stanford, CA, 1979.
- 12. Isaacs, Herbert H., "Sensitivity of Decisions to Probability Estimation Errors", Operations Research, vol. 11, no. 4, July-Aug, 1963, pp. 536-552.
- 13. Leal, A. and Pearl, J., "An Interactive Program for Conversational Elicitation of Decision Structures", IEEE Transactions on Systems, Man, and Cybernetics, Vol. SMC-7, no. 5, May 1977, pp. 368-376.
- 14. Leung, Patrick, "Sensitivity Analysis of the Effect of Variations in the Form and Parameters of a Multiattribute Utility Model: A Survey", Behavioral Science, vol. 23, no. 6, November 1978, pp. 478-485.
- 15. Merkhofer, M. W., Miller, A. C. III, Robinson, B. E., and Korson, R. J.,
  "Decision Structuring Aid: Characterization and Preliminary Implementation" Technical Report 5533, SRI International, Menlo Park, CA 1977.
- 16. Pearl, Judea; Leal, Antonio, and Saleh, Joseph, "Goddess: A Goal-Directed Decision Structuring System", Cognitive Systems Laboratory, University of California at Los Angeles, June 1980.
- 17. Rajala, David W. and Sage, Andrew P., "On Information Structuring in Choice Making: A Case STudy of Systems Engineering Decisionmaking in Beef Cattle Production", <u>IEEE Transactions on Systems</u>, Man, and Cybernetics, vol. SMC-9, no. 9, September 1979, pp. 525-533.
- 18, Rajala, David W. and Sage, Andrew P., "On Decision Situation Structural Models," <u>International Journal of Policy Analysis and Information Systems</u>, vol. 4, no. 1, 1980, pp. 53-81.
- 19. Rajala, David W. and Sage, Andrew P., "On Measures for Decision Model Structuring, Int. J. Systems Sci., vol. 11, no. 1, 1980, pp. 17-31.
- Sage, Andrew P. and Rajala, David W., "On The Role of Structure in Policy Analysis and Decision Making", Management Handbook for Public Administrators, J. W. Sutherland, Ed., Van Nostrand Reinhold, NY, 1978, pp. 568-605.

- 21. Sage, A. P., <u>Methodology for Large-Scale Systems</u>, New York, McGraw-Hill, 1977.
- 22. Sage, A. P. and White, E. B., "Methodologies for Risk and Hazard Assessment: A Survey and Status Report," IEEE Transactions on Systems, Man and Cybernetics, vol. SMC-10, no. 8, August 1980, pp. 425-446.
- 23. Sarin, R. K., "Elicitation of Subjective Probabilities in the Context of Decision Making", <u>Decision Sciences</u>, vol. 9, 1978, pp. 37-48.
- 24. Wainer, Howard, "On the Sensitivity of Regression and Regressors", Psychological Bulletin, vol. 85, no. 2, 1978, pp. 267-273.
- 25. White, C. C., "Multi-Parametric Sensitivity in Decision Making Under Uncertainty", Computers and Biomedical Research, vol. 12, 1979, pp. 125-130.
- 26. White, C. C., and Sage, A. P., "A Multiple Objective Optimization-Based Approach to Choicemaking", IEEE Transactions on Systems, Man, and Cybernetics, vol. SMC-10, no. 6, June 1980, pp. 315-326.
- 27. White, C. C., and Sage, A. P., "Multiple Objective Evaluation and Choicemaking under Risk with Partial Preference Information", submitted.
- 28. White, C. C., Sage, A. P., and Scherer, W. T., "Decision Support with Partially Identified Parameters", submitted.
- 29. Whitmore, G. A., and Findlay, M. G., <u>Stochastic Dominance</u>, D. C. Heath and Co., Lexington Books, 1978.
- 30. Winterfeldt, Detlof von, "Error in Decision Analysis: How to Create the Possibility of Large Losses by Using Dominated Strategies", University of Southern California, Social Science Research Institute Report 75-4, April 1975.




Figure 2.1 Probability Triangle and Planar Projection with Decision Switch Points from Table 2.1.





Figure 2.2 Optimum Decision Regions as a Function of Probabilities






Figure 3.1 Reachability Matrix and Minimum Edge Digraph for First Order Stochastic Domination

	al	$a^2$	$a^3$	a <sup>4</sup>	$a^5$	a <sup>6</sup>
a <sup>1</sup>	1	0	0	0	0	0
a <sup>2</sup>	ן	1	7	1	1	0
a <sup>3</sup>	1	0	1	1	1	0
a <sup>4</sup>	0	0	0	1	0	0
$a^5$	0	0	0	0	1	0
$a^6$	1_	0	0	1	1	1




Figure 3.2 Reachability Matrix and Minimum Edge Digraph for Second Order Stochastic Dominance.

	a ]	a <sup>2</sup>	$a^3$	$a^4$	$a^5$	a <sup>6</sup>
a <sup>l</sup>	ı	0	0	0	1	0
a <sup>2</sup>	1	1	1	1	1	0
a <sup>3</sup>	ī	0	1	_	1	0
a <sup>4</sup>	1	0	0	1	1	0
a <sup>5</sup>	0	0	0	0	1	0
$a^6$	1	0	1	1	1	1






Figure 3.3 Reachability Matrix and Minimum Edge Digraph for Infinite Order Stochastic Dominance

	mean	variance		
a 1	0.375	0,7813		
a <sup>2</sup>	0.625	0.7813		
$a^3$	0.575	0.11938		
a <sup>4</sup>	0.2	0.01		
a <sup>5</sup>	0.5	0.25		
$a^6$	0.5	0		

a) Expectation Variance Values for Example



b) Domination based on expectation only



c) Domination based on expectation and variance

Figure 3.4 EV Dominance Results




Figure 3.5 Sensitivity Effect of Risk Aversion Coefficient in Determining Best Alternatives




Figure 4.1 Preference Relations for a Simple Example







~







- attribute 2,  $M_l=0.5$

1.0 r

u(a¹)

œ

9

- b) Domination Digraph with  $w_1 \ge w_2$

- c) Value scores for attributes, Wlmin = 0.5
- Figure 4.2 Preference Relations for a Simple Example,  $w_1 \ge w_2$

2

- - - .25

WIT

0

W2=0

- a) Utilities as a function of attribute weights for W<sub>1</sub> ≥ W<sub>2</sub> .75

~

- attribute 1, w<sub>1</sub>=1.0




Figure 4.3 Utilities as functions of attribute weights. Note that a mixed strategy of alternatives 8 and 6 will always be better than alternative 5 or 7.




Figure 5.1 Decision Tree with Expected (rollback) values and sensitivity Differentials




Figure 5.2 Prototypical Decision Tree for Computation of The Expected Value of Resolving Residual Uncertainty

# OSD

CDR Paul R. Chatelier
Office of the Deputy Under Secretary
of Defense
OUSDRE (E&LS)
Pentagon, Room 3D129
Washington, D.C. 20301

## Department of the Navy

Director
Engineering Psychology Programs
Code 455
Office of Naval Research
800 North Quincy Street
Arlington, VA 22217 (5 cys)

Director Operations Research Programs Code 434 Office of Naval Research 800 North Quincy Street Arlington, VA 22217

Director Statistics and Probability Program Code 436 Office of Naval Research 800 North Quincy Street Arlington, VA 22217

Director
Information Systems Program
Code 437
Office of Naval Research
800 North Quincy Street
Arlington, VA 22217

Code 430B Office of Naval Research 800 North Quincy Street Arlington, VA 22217

LCDR W. Moroney Code 55MP Naval Postgraduate School Monterey, CA 93940

### Department of the Navy

Commanding Officer
ONR Eastern/Central Regional Office
ATTN: Dr. J. Lester
Building 114, Section D
666 Summer Street
Boston, MA 02210

Commanding Officer
ONR Branch Office
ATTN: Dr. C. Davis
536 South Clark Street
Chicago, IL 60605

Commanding Officer
OMR Western Regional Office
ATTN: Dr. E. Gloye
1030 East Green Street
Pasadena, CA 91106

Office of Naval Research Scientific Liaison Group American Embassy, Room A-407 APO San Francisco, CA 96503

Director
Naval Research Laboratory
Technical Information Division
Code 2627
Washington, D.C. 20375 (6 cys)

Dr. Bruce Wald Communications Sciences Division Code 7500 Naval Research Laboratory Washington, D.C. 20375

Dr. Robert G. Smith
Office of the Chief of Naval
Operations, OP987H
Personnel Logistics Plans
Washington, D.C. 20350

Naval Training Equipment Center ATTN: Technical Library Orlando, FL 32813

# Department of the Navy

Human Factors Department Code N215 Naval Training Equipment Center Orlando, FL 32813

Dr. Alfred F. Smode Training Analysis and Evaluation Group Naval Training Equipment Center Code N-00T Orlando, FL 32813

Dr. George Moeller Human Factors Engineering Branch Submarine Medical Research Lab Naval Submarine Base Groton, CT 06340

Dr. James McGrath, Code 302 Navy Personnel Research and Development Center San Diego, CA 92152

Navy Personnel Research and Development Center Planning and Appraisal Code 04 San Diego, CA 92152

Navy Personnel Research and Development Center Management Systems, Code 303 San Diego, CA 92152

Navy Personnel Research and Development Center Performance Measurement and Enhancement Code 309 San Diego, CA 92152

CDR P. M. Curran Code 604 Human Factors Engineering Division Naval Air Development Center Warminster, PA 18974

Dean of the Academic Departments U.S. Naval Academy Annapolis, MD 21402

# Department of the Navy

Dr. Gary Poock Operations Research Department Naval Postgraduate School Monterey, CA 93940

Dean of Research Administration Naval Postgraduate School Monterey, CA 93940

Mr. Warren Lewis Human Engineering Branch Code 8231 Naval Ocean Systems Center San Diego, CA 92152

Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380

# Department of the Army

Mr. J. Barber HQS, Department of the Army DAPE-MBR Washington, D.C. 20310

Dr. Joseph Zeidner Technical Director U.S. Army research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

Director, Organizations and Systems Research Laboratory U.S. Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

#### Department of the Air Force

U.S. Air Force Office of Scientific Research Life Sciences Directorate, NL Bolling Air Force Base ' Washington, D.C. 20332

# Department of the Air Force

Dr. Donald A. Topmiller Chief, Systems Engineering Branch Human Engineering Division USAF AMRL/HES Wright-Patterson AFB, OH 45433

Air University Library
Maxwell Air Force Base, AL 36112

Dr. Erl Alluuisi Chief Scientist AFHRL/CCN Brooks AFB, TX 78235

### Foreign Addresses

North East London Polytechnic The Charles Myers Library Livingstone Road Stratford London E15 2LJ ENGLAND

Professor Dr. Carl Graf Hoyos Institute for Psychology Technical University 8000 Munich Arcisstr 21 FEDERAL REPUBLIC OF GERMANY

Dr. Kenneth Gardner
Applied Psychology Unit
Admiralty Marine Technology
Establishment
Teddington, Middlesex TW11 OLN
ENGLAND

Director, Human Factors Wing Defence & Civil Institute of Environmental Medicine Post Office Box 2000 Dowsnview, Ontario M3M 3B9 CANADA

Dr. A. D. Baddeley Director, Applied Psychology Unit Medical Research Council 15 Chaucer Road Cambridge, CB2 2EF, ENGLAND

# Other Government Agencies

Defense Technical Information Center Cameron Station, Bldg. 5 Alexandria, VA 22314 (12 cys)

Dr. Craig Fields
Director, Cybernetics Technology
Office
Defense Advanced Research Projects
Agency
1400 Wilson Blvd
Arlington, VA 22209

Dr. Judith Daly Cybernetics Technology Office Defense Advanced Research Projects Agency 1400 Wilson Blvd Arlington, VA 22209

### Other Organizations

Dr. Gary McClelland Institute of Behavioral Sciences University of Colorado Boulder, CO 80309

Dr. Miley Merkhofer Stanford Research Institute Decision Analysis Group Menlo Park, CA 94025

Dr. Jesse Orlansky Institute for Defense Analyses 400 Army-Navy Drive Arlington, VA 22202

Professor Judea Pearl
Engineering Systems Department
University of California-Los Angeles
405 Hilgard Avenue
Los Angeles, CA 90024

Professor Howard Raiffa Graduate School of Business Administration Harvard University Soldiers Field Road Boston, MA 02163

### Other Organizations

Dr. Arthur I. Siegel Applied Psychological Services, Inc. 404 East Lancaster Street Wayne, PA 19087

Dr. Paul Slovic Decision Research 1201 Oak Street Eugene, OR 97401

Dr. Amos Tversky
Department of Psychology
Stanford University
Stanford, CA 94305

Dr. Robert T. Hennessy
NAS - National Research Council
JH #819
2101 Constitution Avenue, N.W.
Washington, D.C. 20418

Dr. M. G. Samet
Perceptronics, Inc.
6271 Variel Avenue
Woodland Hills, CA 91364

Dr. Meredith P. Crawford American Psychological Association Office of Educational Affairs 1200 17th Street, N.W. Washington, D.C. 20036

Dr. Ward Edwards
Director, Social Science Research
Institute
University of Southern California
Los Angeles, CA 90007

Dr. Charles Gettys
Department of Psychology
University of Oklahoma
455 West Lindsey
Norman, OK 73069

Dr. Kenneth Hammond
Institute of Behavioral Science
University of Colorado
Room 201
Boulder, CO 80309

### Other Organizations

Dr. William Howell
Department of Psychology
Rice University
Houston, TX 77001

Journal Supplement Abstract Service American Psychological Association 1200 17th Street, N.W. Washington, D.C. 20036 (3 cys)

Dr. John Payne
Duke University
Graduate School of Business
Administration
Durham, NC 27706

Dr. Baruch Fischhoff Decision Research 1201 Oak Street Eugene, OR 97401

Dr. Leonard Adelman
Decisions and Designs, Inc.
8400 Westpark Drive, Suite 600
P. O. Box 907
McLean, VA 22101

Dr. Lola Lopes
Department of Psychology
University of Wisconsin
Madison, WI 53706

#### **UNIVERSITY OF VIRGINIA**

#### School of Engineering and Applied Science

The University of Virginia's School of Engineering and Applied Science has an undergraduate enrollment of approximately 1,400 students with a graduate enrollment of approximately 600. There are 125 faculty members, a majority of whom conduct research in addition to teaching.

Research is an integral part of the educational program and interests parallel academic specialties. These range from the classical engineering departments of Chemical, Civil, Electrical, and Mechanical and Aerospace to departments of Biomedical Engineering, Engineering Science and Systems, Materials Science, Nuclear Engineering and Engineering Physics, and Applied Mathematics and Computer Science. In addition to these departments, there are interdepartmental groups in the areas of Automatic Controls and Applied Mechanics. All departments offer the doctorate; the Biomedical and Materials Science Departments grant only graduate degrees.

The School of Engineering and Applied Science is an integral part of the University (approximately 1,530 full-time faculty with a total enrollment of about 16,000 full-time students), which also has professional schools of Architecture, Law, Medicine, Commerce, Business Administration, and Education. In addition, the College of Arts and Sciences houses departments of Mathematics, Physics, Chemistry and others relevant to the engineering research program. This University community provides opportunities for interdisciplinary work in pursuit of the basic goals of education, research, and public service.

